

Version 3.2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier	
Product name :	ENDURATEX TM/MC EP 220
Product code :	ENT220P5R, ENT220P20, ENT220IBC, ENT220DRR, ENT220DRM, ENT220DCT, ENT220, ENT220BLK
1.2 Relevant identified uses of the s	substance or mixture and uses advised against
Use of the Sub- : stance/Mixture	ENDURATEX EP oils are heavy duty extreme pressure gear oils for use in enclosed industrial gear drives operating under normal, heavy, or shock loading conditions. They are also recommended for lubricating plain or anti-friction bearings running under heavy or shock loading conditions.
1.3 Details of the supplier of the saf	ety data sheet
Manufacturer or supplier's details	
	Petro-Canada Europe Lubricants Limited Wellington House, Starley Way
	Birmingham International Park Solihull B37 7HB
Talaakana	
l'elephone :	+44 (0) 121 781 7264
E-mail address of person : responsible for the SDS	EUSDS@petrocanadalsp.com
1.4 Emergency telephone number	

Emergency telephone number : CHEMTREC: +1-703-741-5970; Poison Control Centre: Consult local telephone directory for emergency number(s).

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Additional Labelling:

EUH208	May produce an allergic reaction.				
EUH210	Safety data sheet available on request.				
Contains: Poly	vsulfides, di-tert-Bu and Reaction products of bis(4-methylpentan-2-				
Internet: lubricants.petro-canada.com/sds					
TM Owned or used under I	licence				



Version 3.2

Revision Date 2019/05/27

yl)dithiophosphoric acid with phosphorus oxide, propylene oxide and amines, C12-14 alkyl (branched)

2.3 Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
lubricating oils (petroleum), C15- 30, hydrotreated neutral oil-based	72623-86-0 276-737-9 01-2119474878-16- 0001	Asp. Tox. 1; H304	10 - 20
Mineral oil		Asp. Tox. 1; H304	1 - 10
Polysulfides, di-tert-Bu	68937-96-2 273-103-3	Aquatic Chronic 3; H412 Skin Sens. 1B; H317	0.25 - 1
Reaction products of bis(4- methylpentan-2- yl)dithiophosphoric acid with phosphorus oxide, propylene ox- ide and amines, C12-14 alkyl (branched)	931-384-6	Acute Tox. 4; H302 Aquatic Chronic 2; H411 Eye irr/damage 1; H318 Skin Sens. 1B; H317	0.25 - 1

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

If inhaled	:	Move to fresh air. Artificial respiration and/or oxygen may be necessary. Seek medical advice.
In case of skin contact	:	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Wash clothing before reuse. Seek medical advice.
In case of eye contact	:	Remove contact lenses. Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain medical attention.



Version 3.2	Revision Date 2019/05/27	Print Date 2019/05/27
If swallowed	 Rinse mouth with water. DO NOT induce vomiting unless direction or poison control center. Never give anything by mouth to an use Seek medical advice. 	
4.2 Most important sympto	oms and effects, both acute and delayed	
Risks	: First aider needs to protect himself.	

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures			
5.1 Extinguishing media			
Suitable extinguishing media	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.	
Unsuitable extinguishing media	:	No information available.	
5.2 Special hazards arising from	the	e substance or mixture	
Specific hazards during fire- fighting	:	Cool closed containers exposed to fire with water spray.	
Hazardous combustion prod- ucts	:	Carbon oxides (CO, CO2), sulphur oxides (SOx), hydrocar- bons, smoke and irritating vapours as products of incomplete combustion.	
5.3 Advice for firefighters			
Further information	:	Prevent fire extinguishing water from contaminating surface water or the ground water system.	

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	 Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions. Mark the contaminated area with signs and prevent access to unauthorized personnel. Only qualified personnel equipped with suitable protective equipment may intervene.
----------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

6.2 Environmental precautions

Environmental precautions	:	Do not allow uncontrolled discharge of product into the envi-
		ronment.



Version 3.2	Revision Date 2019/05/27	Print Date 2019/05/27	
6.3 Methods and material for co	ontainment and cleaning up		
Methods for cleaning up	 Prevent further leakage or spillage if Remove all sources of ignition. Soak up with inert absorbent materia Non-sparking tools should be used. Ensure adequate ventilation. Contact the proper local authorities. 		
6.4 Reference to other sections			

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling	:	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Use only with adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Avoid contact with skin, eyes and clothing. Do not ingest. Keep away from heat and sources of ignition. Keep container closed when not in use.
Advice on protection against fire and explosion	:	None known.
Hygiene measures	:	Remove and wash contaminated clothing and gloves, includ- ing the inside, before re-use. Wash face, hands and any ex- posed skin thoroughly after handling.
Conditions for sofe storage	ina	luding any incompatibilities

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Store in original container. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in a dry, cool and well-ventilated place. Keep in properly labelled containers. To maintain product quality, do not store
		in heat or direct sunlight.

7.3 Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2 Exposure controls

Engineering measures

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Personal protective equipment

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 ENDURATEX TM/MC EP 220



000003000428

Version 3.2		Revision Date 2019/05/27	Print Date 2019/05/27
Eye protection	:	Wear face-shield and protective suit for abnormal processing problems.	
Hand protection Material	:	neoprene, nitrile, polyvinyl alcohol (PVA),	, Viton(R).
Remarks	:	Chemical-resistant, impervious gloves co approved standard should be worn at all chemical products if a risk assessment in essary.	times when handling
Skin and body protection	:	Choose body protection in relation to its t tration and amount of dangerous substancific work-place.	
Respiratory protection	:	Use respiratory protection unless adequative ventilation is provided or exposure assess that exposures are within recommended. Respirator selection must be based on kn exposure levels, the hazards of the production working limits of the selected respirator.	sment demonstrates exposure guidelines. nown or anticipated
Filter type	:	organic vapour filter	
Protective measures	:	Wash contaminated clothing before re-us	e.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	: viscous liquid
Colour	: amber
Odour	: Mild petroleum oil like.
Odour Threshold	: No data available
рН	: No data available
Pour point	: -27 °C (-17 °F)
Boiling point/boiling range	: No data available
Flash point	: 275 °C (527 °F) Method: Cleveland open cup
Fire Point	: No data available
Auto-Ignition Temperature	: No data available
Evaporation rate	: No data available
Flammability (solid, gas)	: Low fire hazard. This material must be heated before ignition will occur.

Internet: lubricants.petro-canada.com/sds ™ Owned or used under license.

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 ENDURATEX ^{TM/MC} EP 220



000003000428

Version 3.2		Revision Date 2019/05/27	Print Date 2019/05/27
Upper explosion limit / Upper flammability limit	:	No data available	
Lower explosion limit / Lower flammability limit	:	No data available	
Vapour pressure	:	No data available	
Relative vapour density	:	No data available	
Relative density	:	No data available	
Density	:	0.8895 kg/l (15 °C / 59 °F)	
Solubility(ies) Water solubility	:	insoluble	
Partition coefficient: n- octanol/water	:	No data available	
Viscosity Viscosity, kinematic	:	220 cSt (40 °C / 104 °F)	
		19.35 cSt (100 °C / 212 °F)	
Explosive properties	:	Do not pressurise, cut, weld, braze, solder, pose containers to heat or sources of ignitic	

9.2 Other information

SECTION 10: Stability and reactivity

10.1 Reactivity

10.2 Chemical stability

10.3 Possibility of hazardous reactions

Hazardous reactions : Hazardous polymerisation does not occur. Stable under normal conditions. 10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materialsMaterials to avoid: Reactive with oxidising agents.

10.6 Hazardous decomposition products

Hazardous decomposition	:	May release COx, SOx, POx, H2S, hydrocarbons, alkyl mer-
products		captans, sulfides, methacrylate monomers, asphyxiants,
		smoke and irritating vapours when heated to decomposition.



Version 3.2

Print Date 2019/05/27

SECTION 11: Toxicological information

Information on likely routes of exposure	:	Eye contact Ingestion Inhalation Skin contact
Acute toxicity		
Product:		
Acute oral toxicity	:	Remarks: No data available
Acute inhalation toxicity	:	Assessment: The substance or mixture has no acute inhala- tion toxicity Remarks: No data available
Acute dermal toxicity	:	Assessment: The substance or mixture has no acute derma toxicity Remarks: No data available
Components:		
	C1 :	5-30, hydrotreated neutral oil-based: LD50 (Rat): > 5,000 mg/kg,
Acute inhalation toxicity	:	LC50 (Rat): > 5.2 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rabbit): > 2,000 mg/kg,
Skin corrosion/irritation		
Product:		
Remarks	:	No data available
Serious eye damage/eye irrit	ati	on
Product:		
Remarks	:	No data available
Respiratory or skin sensitisa	tic	n
No data available		
Germ cell mutagenicity No data available		
Carcinogenicity		
No data available		
Reproductive toxicity		
net: lubricants.petro-canada.com/so	ds	Page
ned or used under license	-	T dge

Version 3.2

Print Date 2019/05/27

No data available

STOT - single exposure No data available

STOT - repeated exposure

No data available

SECTION 12: Ecological information

12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available

12.2 Persistence and degradability

Product:

:

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Not relevant

12.6 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

The product should not be allowed to enter drains, water courses or the soil.
Offer surplus and non-recyclable solutions to a licensed dis-
posal company.
Waste must be classified and labelled prior to recycling or
disposal.
Send to a licensed waste management company.
Dispose of product residue in accordance with the instructions
of the person responsible for waste disposal.



Version 3.2

Revision Date 2019/05/27

Print Date 2019/05/27

SECTION 14: Transport information

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Remarks

: ADR: Not Regulated ADN: Not Regulated RID: Not Regulated

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Water contaminating class (Germany)	:	WGK 1 slightly water endangering
The components of this pro	oduo	ct are reported in the following inventories:
DSL	:	On the inventory, or in compliance with the inventory
TSCA	:	All chemical substances in this product are either listed on the TSCA Inventory or are in compliance with a TSCA Inventory exemption.
EINECS	:	On the inventory, or in compliance with the inventory
IECSC	:	On the inventory, or in compliance with the inventory
NZIoC	:	On the inventory, or in compliance with the inventory
	:	HSNO: HSR002605, Lubricants (Low Hazard) Group Stand- ard 2017

15.2 Chemical safety assessment

SECTION 16: Other information

Full text of H-Statemer	nts	
H302	:	Harmful if swallowed.
H304	:	May be fatal if swallowed and enters airways.
H317	:	May cause an allergic skin reaction.
H318	:	Causes serious eye damage.
H411	:	Toxic to aquatic life with long lasting effects.
H412	:	Harmful to aquatic life with long lasting effects.
Full text of other abbre	eviations	
Acute Tox		Acute toxicity

toxicity

Acute Tox.	:	Acute toxicity		
Aquatic Chronic	:	Chronic aquatic		
Internet: lubricants.petro-canada.com/sds				
[™] Owned or used under license.				

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 ENDURATEX ^{TM/MC} EP 220



000003000428

Version	32
1013	J.Z

Print Date 2019/05/27

	Eye irr/damage :	Aspiration hazard Serious eye damage/eye irritation Skin sensitisation
--	------------------	------------------------------------------------------------------------------

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose): MARPOL - International Convention for the Prevention of Pollution from Ships: n.o.s. - Not Otherwise Specified: NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

For Copy of SDS	: Internet: lubricants.petro-canada.com/sds
	Europe, telephone: 00-800-7387-6000
	For Product Safety Information: 1 905-491-0565

Prepared by

: Product Safety: +1 905-491-0565

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REG_EU / EN