

 Close this window

SDS

Common Name: STATICIDE GENERAL PURPOSE**Manufacturer:** ACL**SDS Revision Date:** 5/12/2017**SDS Format:** GHS-US**Item Number(s):** 3XKA3, 3XKA4, 54JE13, 54JE14**Manufacturer Model Number(s):**

SDS Table of Contents

Click the desired link below to jump directly to that section in the SDS.

[SECTION 1. CHEMICAL PRODUCT SECTION](#)[SECTION 2. HAZARDOUS IDENTIFICATION](#)[SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS](#)[SECTION 4. FIRST AID MEASURES](#)[SECTION 5. FIRE FIGHTING MEASURES](#)[SECTION 6. ACCIDENTAL RELEASE MEASURES](#)[SECTION 7. HANDLING AND STORAGE](#)[SECTION 8. EXPOSURE CONTROL / PERSONAL PROTECTION](#)[SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES](#)[SECTION 10. STABILITY AND REACTIVITY](#)[SECTION 11. TOXICOLOGY INFORMATION](#)[SECTION 12. ECOLOGICAL INFORMATION](#)[SECTION 13. DISPOSAL CONSIDERATIONS](#)[SECTION 14. TRANSPORTATION INFORMATION](#)[SECTION 15. REGULATORY INFORMATION](#)[SECTION 16. OTHER INFORMATION](#)

SDS# 2001, 2003

STATICIDE GENERAL PURPOSE

REV.: 12-MAY-17

SAFETY DATA SHEET

ACCORDING TO FEDERAL REGISTER / VOL. 77, NO. 58 / MONDAY,
MARCH 26, 2012 / RULES AND REGULATIONS

SECTION 1. CHEMICAL PRODUCT SECTION



1.1 IDENTIFICATION:

PRODUCT NAME: STATICIDE (R*) GENERAL PURPOSE

PRODUCT NUMBER: # 2001, 2003, 530, 2001-5, 2001-2

CAS#: MIXTURE (SEE SECTION 3)

1.2 PRODUCT DESCRIPTION: ANTI-STATIC TOPICAL FOR POROUS SURFACES

PRODUCT TYPE: WATER WITH SURFACTANTS

APPLICATION: INDUSTRIAL APPLICATIONS, PROFESSIONAL APPLICATIONS

1.3 MANUFACTURER:

ACL INCORPORATED
840 W. 49TH PLACE
CHICAGO, IL 60609

PH: (01) 847.981.9212 [U.S.A.]

FAX: (01) 847.981.9278 [U.S.A.]

EMAIL OF RESPONSIBLE PARTY FOR SDS: MARYKAY@ACLSTATICIDE.COM

1.4 EMERGENCY TELEPHONE:

US/CANADA EMERGENCY TEL:
INFOTRAC: (01) 800.535.5053 (DAY OR NIGHT)

INTERNATIONAL EMERGENCY TEL:
INFOTRAC: 352.323.3500 (DAY OR NIGHT)

SECTION 2. HAZARDOUS IDENTIFICATION



GHS CLASSIFICATION IN ACCORDANCE WITH 29 CFR 1910 (OSHA HCS):

2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE:

PRODUCT DEFINITION: MIXTURE

GHS-US CLASSIFICATION:

PHYSICAL: NOT CLASSIFIED

HEALTH: EYE IRRITATION / CATEGORY 2B

ENVIRONMENTAL: NOT CLASSIFIED

2.2 LABEL ELEMENTS:

HAZARD PICTOGRAMS: NOT REQUIRED

SIGNAL WORD: WARNING

HAZARD STATEMENT:
CAUSES EYE IRRITATION (H320)

PRECAUTIONARY STATEMENTS:

GENERAL:

IF MEDICAL ADVICE IS NEEDED, HAVE CONTAINER OR LABEL AT HAND (P101)
KEEP OUT OF REACH OF CHILDREN (P102)
READ LABEL BEFORE USE (P103)

PREVENTION:

WASH HANDS THOROUGHLY AFTER HANDLING (P264)

RESPONSE:

IF IN EYES, RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES.
REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING
(P305 + P351 + P338)

IF EYE IRRITATION PERSISTS, GET MEDICAL ATTENTION OR ADVICE (P337 + P313)

IF ON SKIN, WASH WITH PLENTY OF WATER. (P302 + P352)

UNKNOWN ACUTE TOXICITY: NO DATA AVAILABLE

STORAGE:

NOT A HAZARDOUS SUBSTANCE OR MIXTURE. SEE SECTION 7 FOR STORAGE DETAILS.

DISPOSAL:

NOT A HAZARDOUS SUBSTANCE OR MIXTURE. SEE SECTION 13 FOR DISPOSAL DETAILS.

2.3 OTHER HAZARDS: NA

SUPPLEMENTAL LABEL ELEMENTS: NA

ANNEX XVII: NOT APPLICABLE

SPECIAL PACKAGING REQUIREMENTS:

CONTAINERS TO BE FITTED WITH CHILD-RESISTANT FASTENINGS: NOT APPLICABLE

TACTILE WARNING OF DANGER: NOT APPLICABLE

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS



3.1 SUBSTANCE/MIXTURE: MIXTURE

CHEMICAL	CAS	CLASSIFICATION	WEIGHT
DEIONIZED WATER	7732-18-5	NOT CLASSIFIED	95 - 99
QUATERNARY AMMONIUM COMPOUNDS, COCO ALKYLBI (HYDROXYETHYL)METHYL, NITRATES	71487-00-8	ACUTE TOX. 4; H302 SKIN CORR. 1B; H314 EYE DAM. 1; H318 AQUATIC ACUTE 1; H400 AQUATIC CHRONIC 1; H410 M-FACTOR (ACUTE): 1	< .5
ISOPROPANOL	67-63-0	FLAM. LIQ. 2; H225 EYE IRRIT. 2A; H319 STOT SE 3; H336	<.5

SECTION 4. FIRST AID MEASURES



4.1 DESCRIPTION OF FIRST AID MEASURES:

4.1.1 GENERAL ADVICE:

IF EXPOSED OR CONCERNED: GET MEDICAL ADVICE/ATTENTION

4.1.2 INHALATION:

IF SYMPTOMS ARE EXPERIENCED, REMOVE THE SOURCE OF CONTAMINATION OR MOVE VICTIM TO FRESH AIR. IF THE AFFECTED PERSON IS NOT BREATHING, APPLY ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT GIVE OXYGEN.

4.1.3 SKIN CONTACT:

SKIN CONTACT:

IF IRRITATED, WASH WITH SOAP AND WATER. TAKE OFF CONTAMINATED CLOTHING AND WASH IT BEFORE REUSE. GET MEDICAL ATTENTION IF IRRITATION PERSISTS.

4.1.4 EYE CONTACT:

IMMEDIATELY FLUSH EYES WITH LARGE AMOUNTS OF COLD WATER FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION.

4.1.5 INGESTION:

CLEAN MOUTH WITH WATER AND DRINK AFTERWARDS PLENTY OF WATER. IF SWALLOWED, SEEK MEDICAL ATTENTION.

4.1.6 SELF-PROTECTION OF FIRST-AIDERS:

NO ACTION SHALL BE TAKEN INVOLVING ANY PERSONAL RISK OR WITHOUT SUITABLE TRAINING. WEAR GLOVES

4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED:

THE MOST IMPORTANT KNOWN SYMPTOMS AND EFFECTS ARE DESCRIBED IN THE LABELLING (SEE SECTION 2.2) AND/OR IN SECTION 11

POTENTIAL ACUTE HEALTH EFFECTS:

EYE CONTACT: CAUSES SERIOUS EYE IRRITATION.

INHALATION: NO KNOWN SIGNIFICANT EFFECTS OR CRITICAL HAZARDS.

SKIN CONTACT: NO KNOWN SIGNIFICANT EFFECTS OR CRITICAL HAZARDS.

INGESTION: NO KNOWN SIGNIFICANT EFFECTS OR CRITICAL HAZARDS.

OVER-EXPOSURE SIGNS/SYMPTOMS:

EYE CONTACT:

ADVERSE SYMPTOMS MAY INCLUDE THE FOLLOWING:

PAIN OR IRRITATION WATERING REDNESS

INHALATION: NO SPECIFIC DATA

SKIN CONTACT: NO SPECIFIC DATA

INGESTION: NO SPECIFIC DATA

4.3 INDICATION OF ANY IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT

NEEDED: NO DATA

SECTION 5. FIRE FIGHTING MEASURES**PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIREFIGHTERS:****5.1 EXTINGUISHING MEDIA:**

SUITABLE EXTINGUISHING MEDIA:

ALCOHOL RESISTANT FOAM, CARBON DIOXIDE (CO2). DRY CHEMICAL.

UNSUITABLE EXTINGUISHING MEDIA: NOT DETERMINED

5.2 SPECIAL HAZARDS ARISING FROM THE SUBSTANCE OR MIXTURE: NOT DETERMINED.**5.3 ADVICE FOR FIREFIGHTERS:**

WEAR SELF-CONTAINED BREATHING APPARATUS PRESSURE-DEMAND, MSHA/NIOSH (APPROVED OR EQUIVALENT) AND FULL PROTECTIVE GEAR.

5.4 FURTHER INFORMATION: NO DATA AVAILABLE**SECTION 6. ACCIDENTAL RELEASE MEASURES****6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:**

USE PERSONAL PROTECTIVE EQUIPMENT AS REQUIRED. FOR PERSONAL PROTECTION SEE SECTION 8.

6.2 ENVIRONMENTAL PRECAUTIONS:

NO SPECIAL ENVIRONMENTAL PRECAUTIONS REQUIRED.

6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP:

6.3.1 CONTAINMENT: PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. HALT SPILL AT SOURCE AND CONTAIN OR DIKE SPILL WITH INERT ABSORBENT MATERIAL.

6.3.2 CLEAN UP:

TRANSFER LIQUID TO CONTAINERS FOR RECOVERY OR DISPOSAL. SHOVEL ABSORBENT INTO DRUMS FOR DISPOSAL IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

6.3.3 OTHER INFORMATION: NA**6.4 REFERENCE TO OTHER SECTIONS:**

FOR DISPOSAL SEE SECTION 13.

SECTION 7. HANDLING AND STORAGE**7.1 PRECAUTIONS FOR SAFE HANDLING:**

AVOID CONTACT WITH EYES. FOR PRECAUTIONS SEE SECTION 2.2

HANDLE IN ACCORDANCE WITH GOOD INDUSTRIAL HYGIENE AND SAFETY PRACTICE. OBTAIN SPECIAL INSTRUCTIONS BEFORE USE. DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD. USE PERSONAL PROTECTIVE EQUIPMENT AS REQUIRED. WASH FACE, HANDS, AND ANY EXPOSED SKIN THOROUGHLY AFTER HANDLING. WEAR EYE/FACE PROTECTION.

7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES:

KEEP CONTAINER TIGHTLY CLOSED IN A DRY AND WELL-VENTILATED PLACE AWAY FROM DIRECT SUNLIGHT.

STORAGE CONDITIONS:

AMBIENT: 40 DEG. F - 90 DEG. F (4 DEG. C - 32 DEG. C)

INCOMPATIBLE MATERIALS: NONE KNOWN BASED ON INFORMATION SUPPLIED.

7.3 SPECIFIC END USE(S) APART FROM THE USES MENTIONED IN SECTION 1.2:

DESIGNED FOR INTERIOR INDUSTRIAL MANUFACTURING. MAY BE USED TO DECAY STATIC ON CARPETS AND UPHOLSTERY.

MAY BE USED ON COMPOSITE MATERIALS FOR STATIC CONTROL BUT WILL NOT WITHSTAND WEATHERING.

SECTION 8. EXPOSURE CONTROL / PERSONAL PROTECTION**8.1 CONTROL PARAMETERS:****OCCUPATIONAL EXPOSURE LIMITS:**

COMPONENT	OSHA PEL	ACGIH TLV	NIOSH REL
ISOPROPANOL	400 PPM TWA	400 PPM TWA	400 PPM TWA
	980 MG/M3	983 MG/M3	980 MG/M3
	500 PPM STEL	500 PPM STEL	500 PPM STEL
	1225 MG/M3	1230 MG/M3	1225 MG/M3

RECOMMENDED MONITORING PROCEDURES: NOT ESTABLISHED

DNELS/DMELS: NO DNELS/DMELS AVAILABLE.

PNECS: NO PNECS AVAILABLE

8.2 EXPOSURE CONTROLS:

8.2.1 APPROPRIATE ENGINEERING CONTROLS:

EYEWASH STATIONS. LOCAL EXHAUST VENTILATION ACCEPTABLE

8.2.2 PERSONAL PROTECTIVE EQUIPMENT:

8.2.2.1 EYE AND FACE PROTECTION:

ENSURE THAT EYEWASH STATIONS ARE PROXIMAL TO THE WORK-STATION LOCATION. SPLASH GOGGLES ARE RECOMMENDED FOR LARGE SPILLS.

8.2.2.2 SKIN PROTECTION:

WEAR PROTECTIVE WORK CLOTHING IF NECESSARY. GLOVES RECOMMENDED.

8.2.2.3 RESPIRATORY PROTECTION:

NONE REQUIRED IN WELL VENTILATED AREAS.

8.2.2.4 THERMAL HAZARDS:

FOR NORMAL CONDITIONS, PROTECTION IS NOT NECESSARY.

ENVIRONMENTAL EXPOSURE CONTROLS:

PREVENT FURTHER LEAKAGE OR SPILLAGE IF SAFE TO DO SO. DO NOT LET PRODUCT ENTER DRAINS.

IN CASE OF LARGE SPILL:

WEAR GLOVES, GOGGLES, AND PROTECTIVE WORK CLOTHING.

THE INFORMATION IN THIS SECTION CONTAINS GENERIC ADVICE AND GUIDANCE. THE LIST OF IDENTIFIED USES IN SECTION 1 SHOULD BE CONSULTED FOR ANY AVAILABLE USE-SPECIFIC INFORMATION PROVIDED IN THE EXPOSURE SCENARIO(S).

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES



9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES:

APPEARANCE: CLEAR PALE YELLOW LIQUID

ODOR: PLEASANT

PH: 7.1

MELTING POINT/FREEZING POINT: NE / LESS THAN 0 DEG. C

INITIAL BOILING POINT AND BOILING RANGE: 100 DEG. C (212 DEG. F)

FLASH POINT AND METHOD: NONE

EVAPORATION RATE (H₂O =1): 1 ESTIMATE

FLAMMABILITY (SOLID, GAS, LIQUID): NA

UPPER/LOWER FLAMMABILITY OR EXPLOSIVE LIMITS: NA

VAPOR PRESSURE: NE

VAPOR DENSITY (AIR=1): 2 ESTIMATE

RELATIVE DENSITY: .99

SOLUBILITY (IES): MISCIBLE

PARTITION COEFFICIENT N-OCTANOL/WATER: NE

AUTOIGNITION TEMPERATURE: NA

DECOMPOSITION TEMPERATURE: NE

VISCOSITY: NE

VOLATILE BY WEIGHT: >98.5%

9.2 OTHER SAFETY INFORMATION:

VOC (G/L): <3.6

SECTION 10. STABILITY AND REACTIVITY



10.1 REACTIVITY: NO DATA AVAILABLE

10.2 CHEMICAL STABILITY: STABLE UNDER RECOMMENDED STORAGE CONDITIONS.

10.3 POSSIBILITY OF HAZARDOUS: REACTIONS NONE UNDER NORMAL PROCESSION

10.4 CONDITIONS TO AVOID:
HEAT, FLAMES AND SPARKS. EXTREMES OF TEMPERATURE AND DIRECT SUNLIGHT.

10.5 INCOMPATIBLE MATERIALS: NONE KNOWN BASED ON INFORMATION SUPPLIED

10.6 HAZARDOUS DECOMPOSITION PRODUCTS:
HAZARDOUS POLYMERIZATION WILL NOT OCCUR.

OTHER DECOMPOSITION PRODUCTS:
IN THE EVENT OF FIRE: SEE SECTION 5

SECTION 11. TOXICOLOGY INFORMATION



11.1 INFORMATION ON TOXICOLOGICAL EFFECTS:

ACUTE TOXICITY:

PRODUCT/INGREDIENT NAME	RESULT	SPECIES	DOSE	EXPOSURE
ISOPROPANOL	LD50 DERMAL	RABBIT	12,800 MG/KG	
	LC50 INHALATION	RAT	72.6 MG/L	4 HOURS
	LD50 ORAL	RABBIT	6410 MG/KG	
QUATERNARY AMMONIUM COMPOUNDS, COCO ALKYLBIIS (HYDROXYETHYL) METHYL, NITRATES	LD50 ORAL	RAT	300 - 2,000 MG/KG	

CONCLUSION/SUMMARY: NOT AVAILABLE

IRRITATION/CORROSION:

PRODUCT/INGREDIENT NAME	RESULT	SPECIES	EXPOSURE
ISOPROPANOL	EYES - MODERATE IRRITANT	RABBIT	24 HOURS 100 MILLIGRAMS

EYES - MODERATE IRRITANT	RABBIT	10 MILLIGRAMS
EYES - SEVERE IRRITANT	RABBIT	100 MILLIGRAMS
SKIN - MILD IRRITANT	RABBIT	500 MILLIGRAMS

QUATERNARY AMMONIUM COMPOUNDS, COCO ALKYLBIS (HYDROXYETHYL) METHYL, NITRATES	BURNS SKIN	RABBIT	READ ACROSS ANALOGY
	RISK OF SERIOUS EYE DAMAGE	RABBIT	

CONCLUSION/SUMMARY: NOT AVAILABLE

SENSITIZATION:

PRODUCT/INGREDIENT NAME	RESULT	SPECIES	TEST
ISOPROPANOL	DOES NOT CAUSE SKIN SENSITIZATION	GUINEA PIG	BUELER
QUATERNARY AMMONIUM COMPOUNDS, COCO ALKYLBIS (HYDROXYETHYL) METHYL, NITRATES	NO DATA AVAILABLE		

CONCLUSION/SUMMARY: NOT AVAILABLE.

MUTAGENICITY:

PRODUCT/INGREDIENT NAME	RESULT	SPECIES	TEST
ISOPROPANOL	NEGATIVE	BACTERIA	AMES TEST METHOD: OECD TEST GUIDELINE 471
QUATERNARY AMMONIUM COMPOUNDS, COCO ALKYLBIS (HYDROXYETHYL) METHYL, NITRATES	LIKELY TO BE NEGATIVE		BASED ON SIMILAR QUATERNARY SALTS

CONCLUSION/SUMMARY: NOT AVAILABLE.

CARCINOGENICITY CONCLUSION/SUMMARY:

IARC:

NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS PROBABLE, POSSIBLE OR CONFIRMED HUMAN CARCINOGEN BY IARC.

ACGIH:

NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL CARCINOGEN BY ACGIH.

NTP:

NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A KNOWN OR ANTICIPATED CARCINOGEN BY NTP.

OSHA:

NO COMPONENT OF THIS PRODUCT PRESENT AT LEVELS GREATER THAN OR EQUAL TO 0.1% IS IDENTIFIED AS A CARCINOGEN OR POTENTIAL CARCINOGEN BY OSHA

REPRODUCTIVE TOXICITY CONCLUSION/SUMMARY: NOT AVAILABLE.

TERATOGENICITY CONCLUSION/SUMMARY: NOT AVAILABLE.

SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE):

PRODUCT/INGREDIENT NAME	CATEGORY	ROUTE OF EXPOSURE	TARGET ORGANS
PROPAN-2-OL	CATEGORY 3	NOT APPLICABLE.	NARCOTIC EFFECTS

SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE): NOT AVAILABLE.

ASPIRATION HAZARD: NOT AVAILABLE.

INFORMATION ON THE LIKELY ROUTES OF EXPOSURE: NOT AVAILABLE.

11.2 PRIMARY ROUTE(S) OF EXPOSURE/ENTRY: INHALATION, SKIN CONTACT.

11.3 SYMPTOMS RELATED TO THE PHYSICAL, CHEMICAL AND TOXICOLOGICAL CHARACTERISTICS:

EYE CONTACT:

ADVERSE SYMPTOMS MAY INCLUDE THE FOLLOWING: PAIN, WATERING, REDNESS

INHALATION:

ADVERSE SYMPTOMS MAY INCLUDE THE FOLLOWING:

NAUSEA OR VOMITING, HEADACHE, DROWSINESS/FATIGUE, DIZZINESS/VERTIGO, UNCONSCIOUSNESS

SKIN CONTACT:

ADVERSE SYMPTOMS MAY INCLUDE THE FOLLOWING: PAIN OR IRRITATION, REDNESS, BLISTERING MAY OCCUR

INGESTION:

ADVERSE SYMPTOMS MAY INCLUDE THE FOLLOWING: STOMACH PAINS

SECTION 12. ECOLOGICAL INFORMATION



12.1 TOXICITY:

PRODUCT/INGREDIENT NAME	RESULT	SPECIES	EXPOSURE
PROPAN-2-OL	ACUTE LC50: 1400000 TO 1950000 (MICRO)G/L MARINE WATER	CRUSTACEANS - CRANGON CRANGON	48 HOURS
	ACUTE LC50: 4200000 (MICRO)G/L FRESH WATER	FISH - RASBORA HETEROMORPHA	96 HOURS
QUATERNARY AMMONIUM COMPOUNDS, BENZYL- C12-18-ALKYLDIMETHYL, CHLORIDES	ACUTE LC50: 0.31 MG/L	FISH	96 HOURS

CONCLUSION/SUMMARY: NOT AVAILABLE.

12.2 PERSISTENCE AND DEGRADABILITY:

PRODUCT/INGREDIENT NAME	TEST	RESULT	DOSE	INOCULUM
QUATERNARY AMMONIUM		20 % - 42 DAYS		

COMPOUNDS, COCO
 ALKYLBIIS
 (HYDROXYETHYL) METHYL,
 NITRATES (SALTS)

PROPAN-2-OL 301E READY 95 % - 21 DAYS
 BIODEGRADABILITY -
 MODIFIED OECD
 SCREENING TEST

CONCLUSION/SUMMARY: NOT AVAILABLE.

PRODUCT/INGREDIENT NAME	AQUATIC HALF-LIFE	PHOTOLYSIS	BIODEGRADABILITY
-------------------------	-------------------	------------	------------------

PROPAN-2-OL			READILY
-------------	--	--	---------

12.3 BIOACCUMULATIVE POTENTIAL:

PRODUCT/INGREDIENT NAME	LOGPOW	BCF	POTENTIAL
PROPAN-2-OL	0.05		LOW

12.4 MOBILITY IN SOIL:

SOIL/WATER PARTITION COEFFICIENT (KOC): NOT AVAILABLE.

MOBILITY: NOT AVAILABLE.

12.5 RESULTS OF PBT AND VPVB ASSESSMENT:

PBT: NOT AVAILABLE.

VPVB: NOT AVAILABLE.

12.6 OTHER ADVERSE EFFECTS:

NO KNOWN SIGNIFICANT EFFECTS OR CRITICAL HAZARDS.

SECTION 13. DISPOSAL CONSIDERATIONS



THE INFORMATION IN THIS SECTION CONTAINS GENERIC ADVICE AND GUIDANCE. THE LIST OF IDENTIFIED USES IN SECTION 1 SHOULD BE CONSULTED FOR ANY AVAILABLE USE-SPECIFIC INFORMATION PROVIDED IN THE EXPOSURE SCENARIO(S).

13.1 WASTE TREATMENT METHODS:

13.1.1 PRODUCT / PACKING DISPOSAL:

PRODUCT:

METHODS OF DISPOSAL:

OFFER SURPLUS AND NON-RECYCLABLE SOLUTIONS TO A LICENSED DISPOSAL COMPANY

HAZARDOUS WASTE:

THE CLASSIFICATION OF THE PRODUCT DOES NOT MEET THE CRITERIA FOR A HAZARDOUS WASTE UNDER THE RESOURCE CONSERVATION AND RECOVERY ACT (RCRA) 40 CFR 261

CONTAMINATED PACKAGING:

METHODS OF DISPOSAL:

DISPOSE OF AS UNUSED PRODUCT. WASTE PACKAGING SHOULD BE RECYCLED.

13.1.2 WASTE TREATMENT-RELEVANT INFORMATION:

INCINERATION OR LANDFILL SHOULD ONLY BE CONSIDERED WHEN RECYCLING

IS NOT FEASIBLE. HANDLE EMPTY CONTAINERS WITH CARE BECAUSE RESIDUAL VAPORS ARE FLAMMABLE

13.1.3 SEWAGE DISPOSAL-RELEVANT INFORMATION:
AVOID RELEASE TO THE ENVIRONMENT

13.1.4 OTHER DISPOSAL RECOMMENDATIONS:
FEDERAL, STATE, AND LOCAL LAWS GOVERNING DISPOSAL OF MATERIAL CAN DIFFER. ENSURE PROPER DISPOSAL COMPLIANCE WITH PROPER AUTHORITIES BEFORE DISPOSAL.

SECTION 14. TRANSPORTATION INFORMATION



	PROPER SHIPPING NAME	HAZARD CLASS	PACKING GROUP	UN NUMBER	LIMITATIONS
US DOT GROUND	NON HAZARDOUS MATERIAL	NA	NA	NA	NA
US DOT AIR	NON HAZARDOUS MATERIAL	NA	NA	NA	NA
IATA	NON HAZARDOUS MATERIAL	NA	NA	NA	NA
IMDG	NON HAZARDOUS MATERIAL)	NA	NA	NA	NA

SECTION 15. REGULATORY INFORMATION



15.1 SAFETY, HEALTH AND ENVIRONMENTAL REGULATIONS / LEGISLATION SPECIFIC FOR THE SUBSTANCE OR MIXTURE:

SDS COMPLIES WITH THE OSHA HAZARD COMMUNICATION RULE, 29 CFR 1910.1200.

CERCLA/SUPERFUND, 40 CFR 117, 302:
NONE OF THE CHEMICALS ARE CERCLA HAZARDS

SARA SUPERFUND AND REAUTHORIZATION ACT OF 1986 TITLE III SECTIONS 302, 311, 312 AND 313:

SECTION 302 - EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355):
NONE OF THE CHEMICALS ARE SECTION 302 HAZARDS

SECTION 311/312 - SDS REQUIREMENTS (40 CFR 370):
BY OUR HAZARD EVALUATION, THIS PRODUCT IS NON-HAZARDOUS.

SECTION 313 - LIST OF TOXIC CHEMICALS (40CFR 372):
THIS PRODUCT DOES NOT CONTAIN CHEMICALS ON THE 313 LIST OF TOXIC CHEMICALS.

TOXIC SUBSTANCE CONTROL ACT (TSCA): ALL SUBSTANCES ARE TSCA LISTED.

RESOURCE CONSERVATION AND RECOVERY ACT (RCRA 40 CFR 261) SUBPART C & D:
REFER TO SECTION 13

FEDERAL WATER POLLUTION CONTROL ACT, CLEAN WATER ACT, 40 CFR 401.15 (FORMERLY SECTION 307) 40 CFR 116 (FORMERLY SECTION 311):
NO PRODUCTS LISTED

STATE REGULATIONS:

STATE	CHEMICAL	C.A.S.	NUMBER	WEIGHT %
-------	----------	--------	--------	----------

PA, NJ, MA ISOPROPYL ALCOHOL 67-63-0 1

CALIFORNIA PROPOSITION 65:
NONE OF THE CHEMICALS ARE ON THE PROPOSITION 65 LIST

INTERNATIONAL REGULATIONS:

CANADA WHMIS:
904 (1050 FR) ISOPROPANOL IS LISTED ON INGREDIENT DISCLOSURE LIST
(SOR/88-64)

TO THE BEST OF OUR ABILITY, THIS SDS IS WRITTEN IN ACCORDANCE TO REACH
DIRECTIVE EC1907/2006 ANNEX II AND GHS REQUIREMENTS. THIS PRODUCT IS NOT
SUBJECT TO REACH RESTRICTIONS. IT DOES NOT CONTAIN ANY CANDIDATES ON THE
SVHC.

15.2 CHEMICAL SAFETY ASSESSMENT:
NO CHEMICAL SAFETY ASSESSMENT HAS BEEN CARRIED OUT

SECTION 16. OTHER INFORMATION



NFPA HEALTH 1 CAN CAUSE SIGNIFICANT IRRITATION
NFPA FIRE 0 WILL NOT BURN
NFPA INSTABILITY 0 STABLE
NFPA REACTIVITY NONE

HMIS HEALTH: SLIGHT HAZARD. IRRITATION OR MINOR REVERSIBLE INJURY POSSIBLE.

HMIS FLAMMABILITY: MINIMAL HAZARD. WILL NOT BURN UNLESS HEATED.

HMIS REACTIVITY: MINIMAL HAZARD. STABLE

HMIS PERSONAL PROTECTION:
B. SAFETY GLASSES AND PROTECTIVE GLOVES SHOULD BE WORN WHEN HANDLING
THIS MATERIAL.

HEALTH 1
FLAMMABILITY 0
REACTIVITY 0
PROTECTIVE EQUIPMENT B

REVISION DATES, SECTIONS, REVISED BY:

15-MAR-92, ORIGINAL RELEASE DATE
02-APR-01, REVIEWED
17-FEB-04, NEW FORMAT, MKB
31-JAN-07 SECTION 11 & 12, MKB
28-AUG-09 NEW ADDRESS, MKB
06-MAR-12 REACH UPDATES, MKB
10-DEC-14 SECTION 2, MKB
13-MAR-15 REVIEWED ALL SECTIONS, MKB
15-JUL-15 ADDED GHS ELEMENTS, MKB
12-MAY-17 ADDED REACH ELEMENTS, MKB

ABBREVIATIONS USED IN THIS DOCUMENT:

NE - NOT ESTABLISHED
NA - NOT APPLICABLE
NIF - NO INFORMATION FOUND

ABRIDGED LIST OF REFERENCES:

CODE OF FEDERAL REGULATIONS (CFR)

CHEMICAL GUIDE AND OSHA HAZARDOUS COMMUNICATION STANDARD

THE ENVIRONMENTAL PROTECTION AGENCY (WWW.EPA.GOV)

ANSI STANDARD: ANSI Z400.1-1998

MERCK INDEX

DIRECTIVE EC1907/2006

UN ST/SG/AC.10/30/ GHS

TO THE BEST OF OUR KNOWLEDGE, THE INFORMATION CONTAINED HEREIN IS ACCURATE. HOWEVER, NEITHER ACL STATICIDE NOR ANY OF ITS SUBSIDIARIES ASSUMES ANY LIABILITY WHATSOEVER FOR THE ACCURACY OR COMPLETENESS OF THE INFORMATION CONTAINED HEREIN. FINAL DETERMINATION OF SUITABILITY OF ANY MATERIAL IS THE SOLE RESPONSIBILITY OF THE USER. ALL MATERIALS MAY PRESENT UNKNOWN HAZARDS AND SHOULD BE USED WITH CAUTION. ALTHOUGH CERTAIN HAZARDS ARE DESCRIBED HEREIN, WE CANNOT GUARANTEE THAT THESE ARE THE ONLY HAZARDS WHICH EXIST.