Version 3.0	Revision Date 04/29/2020	Print Date 02/03/2021		

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	ZEP PROVISIONS HIGH FOAMING EQUIPMENT CLEANER
Material number	:	0000000000269324
Manufacturer or supplier's	deta	ails
Company	:	Zep Inc.
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137
Telephone	:	404-352-1680

Emergency telephone numbers		
For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation Emergency	:	CHEMTREC: 800-424-9300 - All Calls Recorded. In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	liquid
Colour	clear, green
Odour	mild

GHS Classification

Skin corrosion Serious eye damage	: Category 1 : Category 1
GHS label elements	
Hazard pictograms	Corrosion
Signal word	: Danger
Hazard statements	: H314 Causes severe skin burns and eye damage.
Precautionary statements	 Prevention: P264 Wash skin thoroughly after handling. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. Response: P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Version 3.0

Revision Date 04/29/2020

Print Date 02/03/2021

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
P363 Wash contaminated clothing before reuse.
Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]
(2-methoxymethylethoxy)propanol (Mixture of isomers)	34590-94-8	>= 1 - < 5
Silicic acid, sodium salt	1344-09-8	>= 1 - < 5
sodium dodecylbenzenesulfonate	25155-30-0	>= 1 - < 5
Fatty acids, tall-oil, sodium salts	61790-45-2	>= 1 - < 5
Aspartic acid, N-(1,2-dicarboxyethyl)-, tetrasodium salt	144538-83-0	>= 1 - < 5

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

General advice	 Move out of dangerous area. Consult a physician. Show this safety data sheet to the doctor in attendance. Do not leave the victim unattended.
If inhaled	 If unconscious, place in recovery position and seek medical advice. If symptoms persist, call a physician.
In case of skin contact	 Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty. If on skin, rinse well with water. If on clothes, remove clothes.
In case of eye contact	 Small amounts splashed into eyes can cause irreversible tissue damage and blindness. In the case of contact with eyes, rinse immediately with plenty

/ersion 3.0	Revision Date 04/29/2020	Print Date 02/03/2021	
	of water and seek medical advice. Continue rinsing eyes during trans Remove contact lenses. Protect unharmed eye. Keep eye wide open while rinsing. If eye irritation persists, consult a s	sport to hospital.	
If swallowed	 Clean mouth with water and drink afterwards plenty of water. Keep respiratory tract clear. Do NOT induce vomiting. Do not give milk or alcoholic beverages. Never give anything by mouth to an unconscious person. If symptoms persist, call a physician. Take victim immediately to hospital. 		
Most important symptoms and effects, both acute and delayed	 Effects are immediate and delayed Symptoms may include blistering, Effects are dependent on exposur contact time). Causes severe skin burns and eye Review section 2 of SDS to see al 	irritation, burns, and pain. e (dose, concentration, e damage.	
Notes to physician	: Treat symptomatically. Symptoms	s may be delayed.	

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	: Dry chemical
Unsuitable extinguishing media	: High volume water jet
Hazardous combustion products	: Carbon dioxide (CO2) Carbon monoxide Smoke Sulphur oxides
Specific extinguishing methods	: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Special protective equipment for firefighters	: Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment.
Environmental precautions	 Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains, inform respective authorities.
Methods and materials for containment and cleaning up	 Neutralise with acid. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).

Version 3.0

Revision Date 04/29/2020

Print Date 02/03/2021

Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	Do not breathe vapours/dust. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations.
Conditions for safe storage	Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
Materials to avoid	Do not store near acids. Oxidizing agents

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
(2- methoxymethylethoxy)propano I (Mixture of isomers)	34590-94-8	TWA	100 ppm	ACGIH
		STEL	150 ppm	ACGIH
		ST	150 ppm 900 mg/m3	NIOSH REL
		TWA	100 ppm 600 mg/m3	NIOSH REL
		TWA	100 ppm 600 mg/m3	OSHA Z-1
		TWA	100 ppm 600 mg/m3	OSHA P0
		STEL	150 ppm 900 mg/m3	OSHA P0
		STEL	150 ppm 900 mg/m3	CAL PEL
		PEL	100 ppm 600 mg/m3	CAL PEL

Engineering measures : effective ventilation in all processing areas

Personal protective equipment

Version 3.0	Revision Date 04/29/2020	Print Date 02/03/2021
Respiratory protection	: Use respiratory protection unless a ventilation is provided or exposure that exposures are within recommended or exposures are within re	assessment demonstrates
Hand protection Material Remarks	Protective glovesThe suitability for a specific workpl with the producers of the protective	
Eye protection	: Eye wash bottle with pure water Tightly fitting safety goggles Wear face-shield and protective su problems.	iit for abnormal processing
Skin and body protection	: Impervious clothing Choose body protection according concentration of the dangerous sul	
Hygiene measures	: When using do not eat or drink. When using do not smoke. Wash hands before breaks and at	the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	: liquid
Colour	: clear, green
Odour	: mild
Odour Threshold	: No data available
рН	: 11.5 - 12.5
Melting point/freezing point	: No data available
Boiling point	: 104.44 °C
Flash point	:
	Not applicable
Evaporation rate	: 1
Upper explosion limit	: Not applicable
	: Not applicable
Lower explosion limit	: Not applicable
Lower explosion limit	: Not applicable
Lower explosion limit Vapour pressure	: Not applicable : No data available
Lower explosion limit Vapour pressure Relative vapour density Relative density	 Not applicable No data available No data available 1.04 (20 °C)
Lower explosion limit Vapour pressure Relative vapour density Relative density Density	Not applicableNo data availableNo data available
Lower explosion limit Vapour pressure Relative vapour density Relative density	 Not applicable No data available No data available 1.04 (20 °C)
Lower explosion limit Vapour pressure Relative vapour density Relative density Density	 Not applicable No data available No data available 1.04 (20 °C)

Version 3.0	Revision Date 04/29/2020	Print Date 02/03/2021
Solubility in other solvents	: Not applicable	
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, dynamic	: 4.2 mPa.s (20 °C)	
Viscosity, kinematic	: 4.0 mm2/s (20 °C)	

SECTION 10. STABILITY AND REACTIVITY

Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: No decomposition if stored and applied as directed.
Conditions to avoid	: No data available
Incompatible materials	: Acids Oxidizing agents
Hazardous decomposition products	: Carbon oxides Sulphur oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects

Aggravated Medical Condition	: None known.
Symptoms of Overexposure	 Effects are immediate and delayed. Symptoms may include blistering, irritation, burns, and pain. Effects are dependent on exposure (dose, concentration, contact time). Causes severe skin burns and eye damage. Review section 2 of SDS to see all potential hazards. Treat symptomatically. Symptoms may be delayed.

Carcinogenicity:

No component of this product present at levels greater than or

Version 3.0	Revision Date 04/29/2020	Print Date 02/03/202	
	equal to 0.1% is identified as prob	able. possible or confirmed	
	human carcinogen by IARC. No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.		
ACGIH			
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens. No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.		
NTP			
Acute toxicity			
Product:			
Acute oral toxicity	: Acute toxicity estimate : > 5,000 Method: Calculation method) mg/kg	
Components:			
sodium dodecylbenzenesu			
Acute oral toxicity	: LD50 Oral Rat: 438 mg/kg		
Skin corrosion/irritation			
Product:			
Remarks: Extremely corrosiv	ve and destructive to tissue.		
Serious eye damage/eye irritati	ion		
Product:			
Remarks: May cause irrever	sible eye damage.		
Respiratory or skin sensitisatio	on		
No data available			
Germ cell mutagenicity			
No data available			
Carcinogenicity			
Carcinogenicity No data available Reproductive toxicity			
No data available Reproductive toxicity			
No data available			
No data available Reproductive toxicity No data available			
No data available Reproductive toxicity No data available STOT - single exposure			
No data available Reproductive toxicity No data available STOT - single exposure No data available			
No data available Reproductive toxicity No data available STOT - single exposure No data available STOT - repeated exposure			
No data available Reproductive toxicity No data available STOT - single exposure No data available STOT - repeated exposure No data available			

Version 3.0

Revision Date 04/29/2020

Print Date 02/03/2021

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available Bioaccumulative potential

Product:

Partition coefficient: n- octanol/water	: Remarks: No data available
<u>Components:</u>	ronanal (Mixtura of icomora) i
	propanol (Mixture of isomers) :
Partition coefficient: n-	: Pow: 0.0043
octanol/water	

Mobility in soil

No data available

Other adverse effects

No data available

information

Disposal methods

Product:

<u>Product.</u>	
Regulation	40 CFR Protection of Environment; Part 82 Protection of Stratospheric Ozone - CAA Section 602 Class I Substances
Remarks	This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).
Additional ecological	: No data available

SECTION 13. DISPOSAL CONSIDERATIONS

•	
Waste from residues	: Do not dispose of waste into sewer.
	Do not contaminate ponds, waterways or ditches with
	chemical or used container.
	Dispose of in accordance with local regulations.

Version 3.0	Revision Date 04/29/2020	Print Date 02/03/2021
Contaminated packaging	: Empty remaining contents. Dispose of as unused product. Do not re-use empty containers.	

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IMDG (Vessel): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Cargo Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: IATA (Passenger Air): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

Transportation Regulation: TDG (Canada): NOT REGULATED AS DANGEROUS GOODS OR HAZARDOUS MATERIAL

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

TSCA list : No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

Components	CAS-No.	Component RQ (lbs)	Calculated product RQ (lbs)
sodium dodecylbenzenesulfonate	25155-30-0	1000	*

*: Calculated RQ exceeds reasonably attainable upper limit.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

Version 3.0	Revision Date 04/29/2020	Print Date 02/03/2021
	Skin corrosion or irritation Serious eye damage or eye irritation	
SARA 302	No chemicals in this material are subje requirements of SARA Title III, Section	
SARA 313	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.	
California Prop. 65		
	WARNING: This product can expose including ethylbenzene, which is/are California to cause cancer. For more www.P65Warnings.ca.gov.	known to the State of

The components of this product are reported in the following inventories:

DSL	All components of this product are on the Canadian DSL
TSCA	On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION

Version 3.0

Revision Date 04/29/2020

Print Date 02/03/2021

Further information

NFPA:



0 = not significant, 1 =Slight,

2 = Moderate, 3 = High


4 = Extreme

HMIS III:



0 = not significant, 1 =Slight,

- 2 = Moderate, 3 = High
- 4 = Extreme, * = Chronic



Version 3.0

Revision Date 04/29/2020

Print Date 02/03/2021

Version:	3.0
Revision Date:	04/29/2020
Print Date:	02/03/2021

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.