



We create chemistry

BASF Corporation

SYNTHETIC TURF RESOURCES CORP
421 CALLAHAN RD SE
DALTON GA 30721-4904

(0004669598)

07.03.2024
BASF Corporation
100 Park Avenue
Florham Park, NJ 07932

Tel. +1 973 245-6000
Fax. +1 973 245-6839

Product safety data sheets for our products

Dear valued customer,

The enclosed safety data sheet is generated by our automatic distribution system and is sent to you either because it relates to a current order or because a significant change has occurred in the data previously provided.

This safety data sheet replaces the previous version, which is no longer valid.
Please pass these safety data sheets on to the appropriate people.

Queries concerning the content of safety data sheets should be sent direct to the business office indicated in the safety data sheet or to your normal sales contact.

If the product(s) contains chemicals subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 and 40 CFR 372, these chemicals are listed in Section 15 of the SDS. If you are unsure of your responsibilities under the Emergency Planning and Community Right-To-Know Act; or you require more information; call the EPA Hotline (1-800-424-9346).

For your convenience we can offer to send the safety data sheets for our products by e-mail as pdf files. Please review and complete page 2 of this letter if you are interested in receiving an e-mail method of distribution.

Best regards

BASF Corporation

Computer generated letter bearing no signature.

BASF Corporation
100 Park Avenue
Florham Park, NJ 07932
Tel: +1 800 526-1072

www.basf.com/usa



We create chemistry

BASF Corporation

SYNTHETIC TURF RESOURCES CORP
421 CALLAHAN RD SE
DALTON GA 30721-4904

(0004669598)

BASF Corporation
100 Park Avenue
Florham Park, NJ 07932

Tel. +1 973 245-6000
Fax. +1 800 216-8392
E-mail: msdsdistribution@basf.com

Enclosures:

Material name		Our order #:	Your order #:
Irganox® 1076	I	0163530103	311002628/511043

BASF Corporation
100 Park Avenue
Florham Park, NJ 07932
Tel: +1 800 526-1072

www.basf.com/usa



We create chemistry

BASF Corporation

SYNTHETIC TURF RESOURCES CORP
421 CALLAHAN RD SE
DALTON GA 30721-4904

(0004669598)

BASF Corporation
100 Park Avenue
Florham Park, NJ 07932

Tel. +1 973 245-6000
Fax. +1 800 216-8392
E-mail: msdsdistribution@basf.com

Request for safety data sheets by e-mail

In the future you can receive safety data sheets in pdf format by e-mail. We would like to ask for some understanding that the change of the dispatch mode may cause time lags due to the increase of customer requests.

If you would prefer to receive safety data sheets by e-mail, please complete the form below and return this to the above e-mail address or fax number. This form is attached to each shipment of safety data sheets. If you have already returned your completed form please ignore this request.

Dispatch option (please fill in block letters):

- Change over from postal to e-mail dispatch

e-mail address^{a)}: _____

- Change of the e-mail address company or 3rd party SDS manager

E-mail address (old): _____

Change of the e-mail address company or 3rd party SDS manager: _____

^{a)} Preferably an e-mail address with sufficient mail box capacity to receive safety data sheets. Please make sure, that emails sent from email-address shown above are not blocked or classified as spam.

Sender (please fill out legibly for possible future questions):

Company:

Dep.:

Name:

Telephone:

Fax:

e-mail (contact person):

Date, Signature

Safety Data Sheet

Irganox® 1076

Revision date : 2021/11/10

Version: 7.1

Page: 1/11

(30119547/SDS_GEN_US/EN)

1. Identification

Product identifier used on the label

Irganox® 1076

Recommended use of the chemical and restriction on use

Recommended use*: stabilizer

Unsuitable for use: The product is not recommended to be used in contact with mucous membranes, abraded skin, or blood; or for the manufacture of implants for the human body as it has not been tested for these applications.

For detailed regulatory information please request a Food Contact Certificate (FCC).

* The "Recommended use" identified for this product is provided solely to comply with a Federal requirement and is not part of the seller's published specification. The terms of this Safety Data Sheet (SDS) do not create or infer any warranty, express or implied, including by incorporation into or reference in the seller's sales agreement.

Details of the supplier of the safety data sheet

Company:

BASF CORPORATION

100 Park Avenue

Florham Park, NJ 07932, USA

Light stabilizers and other plastic additives

E-mail address: RegXcellencePlasticAdditives@basf.com

Emergency telephone number

24 Hour Emergency Response Information

CHEMTREC: 1-800-424-9300

BASF HOTLINE: 1-800-832-HELP (4357)

Other means of identification

Synonyms: Sterically hindered phenol

2. Hazards Identification

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Classification of the product

Combustible Dust

Combustible Dust (1)

Combustible Dust

Safety Data Sheet

Irganox® 1076

Revision date : 2021/11/10
Version: 7.1

Page: 2/11
(30119547/SDS_GEN_US/EN)

Label elements

Signal Word:
Warning

Hazard Statement:

May form combustible dust concentration in air.

Hazards not otherwise classified

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture. The product is under certain conditions capable of dust explosion.

3. Composition / Information on Ingredients

According to Regulation 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200

Under the referenced regulation, this product does not contain any components classified for health hazards above the relevant cut off value.

4. First-Aid Measures

Description of first aid measures

General advice:

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

If on skin:

Remove contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. If irritation develops, seek medical attention.

If in eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

If irritation develops, seek medical attention.

If swallowed:

Rinse mouth and then drink 200-300 ml of water. Do not induce vomiting. Immediate medical attention required.

Most important symptoms and effects, both acute and delayed

Symptoms: No applicable information available.

Indication of any immediate medical attention and special treatment needed

Note to physician

Treatment:

Treat according to symptoms (decontamination, vital functions), no known specific antidote.

Safety Data Sheet

Irganox® 1076

Revision date : 2021/11/10
Version: 7.1

Page: 3/11
(30119547/SDS_GEN_US/EN)

5. Fire-Fighting Measures

Extinguishing media

Suitable extinguishing media:
dry powder, foam

Unsuitable extinguishing media for safety reasons:
carbon dioxide

Additional information:

Avoid whirling up the material/product because of the danger of dust explosion.

Special hazards arising from the substance or mixture

Hazards during fire-fighting:

harmful vapours

Evolution of fumes/fog. The substances/groups of substances mentioned can be released in case of fire.

Advice for fire-fighters

Protective equipment for fire-fighting:

Firefighters should be equipped with self-contained breathing apparatus and turn-out gear.

Further information:

Dusty conditions may ignite explosively in the presence of an ignition source causing flash fire.

Impact Sensitivity:

Remarks: Based on the chemical structure there is no shock-sensitivity.

6. Accidental release measures

Further accidental release measures:

Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air). Avoid the formation and build-up of dust - danger of dust explosion. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition.

Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Use personal protective clothing.

Environmental precautions

Contain contaminated water/firefighting water. Do not discharge into drains/surface waters/groundwater.

Methods and material for containment and cleaning up

Nonsparking tools should be used.

7. Handling and Storage

Precautions for safe handling

Breathing must be protected when large quantities are decanted without local exhaust ventilation.

Safety Data Sheet

Irganox® 1076

Revision date : 2021/11/10
Version: 7.1

Page: 4/11
(30119547/SDS_GEN_US/EN)

Closed containers should only be opened in well-ventilated areas. Avoid dust formation. Do not use any sparking tools.

Protection against fire and explosion:

Avoid dust formation. Dust in sufficient concentration can result in an explosive mixture in air. Handle to minimize dusting and eliminate open flame and other sources of ignition. Routine housekeeping should be instituted to ensure that dusts do not accumulate on surfaces. Dry powders can build static electricity charges when subjected to the friction of transfer and mixing operations. Provide adequate precautions, such as electrical grounding and bonding, or inert atmospheres. Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids (2013 Edition) for safe handling.

Dust explosion class: Dust explosion class 2 (Kst-value 200 up to 300 bar m s-1).

Conditions for safe storage, including any incompatibilities

No applicable information available.

Further information on storage conditions: Keep container tightly closed and dry; store in a cool place.

Storage stability:

Storage temperature: < 40 °C

The packed product is not damaged by low temperatures or by frost.

Protect from temperatures above: 40 °C

The packed product must be protected against exceeding the indicated temperature.

8. Exposure Controls/Personal Protection

No substance specific occupational exposure limits known.

The nuisance dust limit value is to be kept.

Particles, not otherwise specified, respirable	ACGIH, US:	TWA value 3 mg/m3 Respirable particles ;
	OSHA Z3:	TWA value 5 mg/m3 Respirable fraction ;
	OSHA Z3:	TWA value 15 mg/m3 Total dust ;
	OSHA Z3:	TWA value 50 millions of particles per cubic foot of air Total dust ;
	OSHA Z3:	TWA value 15 millions of particles per cubic foot of air Respirable fraction ;
Particles, not otherwise specified, inhalable	ACGIH, US:	TWA value 10 mg/m3 Inhalable particles ;
	OSHA Z3:	TWA value 15 mg/m3 Total dust ;
	OSHA Z3:	TWA value 50 millions of particles per cubic foot of air Total dust ;

Advice on system design:

It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). Use only appropriately classified electrical equipment and powered industrial trucks.

Safety Data Sheet

Irganox® 1076

Revision date : 2021/11/10

Version: 7.1

Page: 5/11

(30119547/SDS_GEN_US/EN)

Personal protective equipment

Respiratory protection:

Breathing protection if breathable aerosols/dust are formed. Wear respiratory protection if ventilation is inadequate. Wear a NIOSH-certified (or equivalent) organic vapour/particulate respirator.

Observe OSHA regulations for respirator use (29 CFR 1910.134).

Hand protection:

Wear chemical resistant protective gloves.

Eye protection:

Safety glasses with side-shields.

Body protection:

Body protection must be chosen based on level of activity and exposure.

General safety and hygiene measures:

Wear protective clothing as necessary to minimize contact. Handle in accordance with good industrial hygiene and safety practice.

9. Physical and Chemical Properties

Form:	granules, fine	
Odour:	odourless	
Odour threshold:	not determined	
Colour:	white	
pH value:	5.7 (1 %(m), 20 - 25 °C) (as suspension)	
Melting point:	50 - 55 °C	
Boiling point:	not applicable	
Sublimation point:	No data available.	
Flash point:	273 °C	(DIN 51584)
Flammability:	not highly flammable	(Directive 84/449/EEC, A.10)
Lower explosion limit:	For solids not relevant for classification and labelling.	
Upper explosion limit:	For solids not relevant for classification and labelling.	
Autoignition:	> 250 °C The product has not been tested. The statement has been derived from the properties of the individual components.	
Vapour pressure:	26.6 Pa (250 °C)	
Density:	1.02 g/cm ³ (25 °C)	
Relative density:	1.012	(OECD Guideline 109)
Bulk density:	490 - 760 g/l	
Partitioning coefficient n- octanol/water (log Pow):	> 6 (20 - 25 °C)	
Self-ignition temperature:	not self-igniting	
Thermal decomposition:	> 350 °C	
Viscosity, dynamic:	not relevant	

Safety Data Sheet

Irganox® 1076

Revision date : 2021/11/10

Version: 7.1

Page: 6/11

(30119547/SDS_GEN_US/EN)

Viscosity, kinematic:	not relevant
% volatiles:	0.5 %
Solubility in water:	practically insoluble
Molar mass:	530.87 g/mol
Evaporation rate:	The product is a non-volatile solid.
Other Information:	If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Corrosion to metals:

No corrosive effect on metal.

Oxidizing properties:

not fire-propagating

Dust explosivity characteristics:

Kst: 242 m.bar/s

Revaluation 2015

Dust explosion class:

Dust explosion class 2 (Kst-value 200 up to 300 bar m s-1) (St 2)

Formation of

Remarks:

flammable gases:

Forms no flammable gases in the presence of water.

Chemical stability

The product is stable if stored and handled as prescribed/indicated.

Possibility of hazardous reactions

Dust explosion hazard.

Conditions to avoid

Avoid dust formation. Avoid deposition of dust. Avoid all sources of ignition: heat, sparks, open flame. Avoid electro-static charge.

Incompatible materials

strong acids, strong bases, strong oxidizing agents

Hazardous decomposition products

Decomposition products:

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Thermal decomposition:

> 350 °C

11. Toxicological information

Primary routes of exposure

Safety Data Sheet

Irganox® 1076

Revision date : 2021/11/10

Page: 7/11

Version: 7.1

(30119547/SDS_GEN_US/EN)

Routes of entry for solids and liquids are ingestion and inhalation, but may include eye or skin contact. Routes of entry for gases include inhalation and eye contact. Skin contact may be a route of entry for liquefied gases.

Acute Toxicity/Effects

Acute toxicity

Assessment of acute toxicity: Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

Oral

Type of value: LD50

Species: rat (male/female)

Value: > 5,000 mg/kg (similar to OECD guideline 401)

Dermal

Type of value: LD50

Species: rat (male/female)

Value: > 2,000 mg/kg (OECD Guideline 402)

Assessment other acute effects

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Irritation / corrosion

Assessment of irritating effects: Not irritating to eyes and skin.

Skin

Species: rabbit

Result: non-irritant

Method: similar to OECD guideline 404

Eye

Species: rabbit

Result: non-irritant

Method: similar to OECD guideline 405

Sensitization

Assessment of sensitization: Skin sensitizing effects were not observed in animal studies.

Maurer optimisation test

Species: guinea pig

Result: Non-sensitizing.

Method: other

Aspiration Hazard

No aspiration hazard expected.

Chronic Toxicity/Effects

Repeated dose toxicity

Assessment of repeated dose toxicity: May affect the liver as indicated in animal studies.

Genetic toxicity

Assessment of mutagenicity: No mutagenic effect was found in various tests with bacteria and mammals.

Safety Data Sheet

Irganox® 1076

Revision date : 2021/11/10

Version: 7.1

Page: 8/11

(30119547/SDS_GEN_US/EN)

Genetic toxicity in vitro: Ames-test negative
Genetic toxicity in vivo: Cytogenetic assay hamster negative

Carcinogenicity

Assessment of carcinogenicity: In long-term studies in rats and mice in which the substance was given by feed, a carcinogenic effect was not observed.

Reproductive toxicity

Assessment of reproduction toxicity: The results of animal studies gave no indication of a fertility impairing effect.

Teratogenicity

Assessment of teratogenicity: No indications of a developmental toxic / teratogenic effect were seen in animal studies.

Other Information

Contact allergenic properties have not been observed in test animals (guinea pigs). In humans workroom temperatures of about 40°C and profuse sweating might exacerbate potential irritancy and rashes may develop.

12. Ecological Information

Toxicity

Aquatic toxicity

Assessment of aquatic toxicity:

There is a high probability that the product is not acutely harmful to aquatic organisms. No toxic effects occur within the range of solubility. The inhibition of the degradation activity of activated sludge is not anticipated when introduced to biological treatment plants in appropriate low concentrations.

Toxicity to fish

LC50 (96 h) > 100 mg/l, Fish

Aquatic invertebrates

EC50 > 100 mg/l, Daphnia magna

Aquatic plants

EC50 (72 h) > 30 mg/l, Scenedesmus sp.

Tested above maximum solubility. No toxic effects occur within the range of solubility. No effects at the highest test concentration.

Chronic toxicity to fish

No data available regarding toxicity to fish.

Chronic toxicity to aquatic invertebrates

No observed effect concentration (21 d) \geq 2 mg/l, Daphnia magna (OECD Guideline 211, semistatic)

The product has low solubility in the test medium. A saturated solution has been tested. Limit concentration test only (LIMIT test). The details of the toxic effect relate to the nominal concentration. No toxic effects occur within the range of solubility.

Microorganisms/Effect on activated sludge

Toxicity to microorganisms

activated sludge/EC50 (3 h): > 100 mg/l

Safety Data Sheet

Irganox® 1076

Revision date : 2021/11/10

Version: 7.1

Page: 9/11

(30119547/SDS_GEN_US/EN)

Persistence and degradability

Assessment biodegradation and elimination (H₂O)

The product is virtually insoluble in water and can thus be separated from water mechanically in suitable effluent treatment plants. Well eliminable from water by adsorption on activated sludge.

Elimination information

Not readily biodegradable (by OECD criteria).

Primary degradation.

Information on Stability in Water (Hydrolysis)

$t_{1/2}$ 7.2 a (25 °C), (calculated, pH 7)

In contact with water the substance will hydrolyse slowly.

Bioaccumulative potential

Assessment bioaccumulation potential

Significant accumulation in organisms is not to be expected.

Mobility in soil

Assessment transport between environmental compartments

The substance will not evaporate into the atmosphere from the water surface.

Adsorption to solid soil phase is expected.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal considerations

Waste disposal of substance:

Do not discharge into drains/surface waters/groundwater. Dispose of in accordance with national, state and local regulations.

Container disposal:

Dispose of in accordance with national, state and local regulations. Recommend crushing, puncturing or other means to prevent unauthorized use of used containers.

14. Transport Information

Land transport

USDOT

Not classified as a dangerous good under transport regulations

Sea transport

IMDG

Not classified as a dangerous good under transport regulations

Air transport

Safety Data Sheet

Irganox® 1076

Revision date : 2021/11/10
Version: 7.1

Page: 10/11
(30119547/SDS_GEN_US/EN)

IATA/ICAO

Not classified as a dangerous good under transport regulations

15. Regulatory Information

Federal Regulations

Registration status:

Cosmetic TSCA, US released / exempt

Chemical TSCA, US released / listed

EPCRA 311/312 (Hazard categories): Refer to SDS section 2 for GHS hazard classes applicable for this product.

Safe Drinking Water & Toxic Enforcement Act, CA Prop. 65:

WARNING: This product can expose you to chemicals including METHANOL, which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.

BASF Risk Assessment, CA Prop. 65:

A risk assessment indicates CA Proposition 65 Safe Harbor criteria are not exceeded when the product is used for Plastic Additives.

NFPA Hazard codes:

Health: 1 Fire: 1 Reactivity: 0 Special:

HMIS III rating

Health: 1 Flammability: 1 Physical hazard: 0

16. Other Information

SDS Prepared by:

BASF NA Product Regulations
SDS Prepared on: 2021/11/10

We support worldwide Responsible Care® initiatives. We value the health and safety of our employees, customers, suppliers and neighbors, and the protection of the environment. Our commitment to Responsible Care is integral to conducting our business and operating our facilities in a safe and environmentally responsible fashion, supporting our customers and suppliers in ensuring the safe and environmentally sound handling of our products, and minimizing the impact of our operations on society and the environment during production, storage, transport, use and disposal of our products.

Irganox® 1076 is a registered trademark of BASF Corporation or BASF SE
IMPORTANT: WHILE THE DESCRIPTIONS, DESIGNS, DATA AND INFORMATION CONTAINED
HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS
PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT

Safety Data Sheet

Irganox® 1076

Revision date : 2021/11/10

Page: 11/11

Version: 7.1

(30119547/SDS_GEN_US/EN)

PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, YOU EXPRESSLY UNDERSTAND AND AGREE THAT THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY OUR COMPANY HEREUNDER ARE GIVEN GRATIS AND WE ASSUME NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA AND INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.
END OF DATA SHEET