

1. Product and Company Identification

Identification of the substance or preparation

Product Code: **PM26015**
Product Description: **3000 BRIGHT YELLOW 8%LDR**

Use of the substance/preparation

Masterbatch or compound for polymer industry

Company Identification

Techmer PM
#1 Quality Circle
Clinton, TN 37716 USA
Telephone: +1-865-457-6700
Fax: +1-865-457-3012

Emergency telephone

+1-865-457-6700

2. Hazards identification

Classification of the product

STOT RE 2 Specific target organ toxicity – repeated exposure
Eye Irritation 2A

Label elements



Signal Word:
Warning

Hazard Statements:

H373 May cause damage to organs through prolonged or repeated exposure.
H319 Causes serious eye irritation.

Precautionary Statements (Prevention):

P260 Do not breathe dust/fume/gas/mist/vapours/spray.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statements (Response):

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 IF eye irritation persists: Get medical advice/attention.
P314 Get medical advice/attention if you feel unwell.

Precautionary Statements (Disposal):

P501 Dispose of contents/container in accordance with all local, regional, national and international regulations.

3. Composition/information on ingredients

This product contains a proprietary blend of components encapsulated within a polymer matrix. One or more of these components are regarded as hazardous under 2012 OSHA Hazard Communication Standard; 29 CFR Part 1910.1200.

4. First aid measures

Inhalation

Move to fresh air. If irritation persists, get medical attention.

Skin contact

If molten material contacts the skin or in case of skin irritation, immediately flush with large amounts of water and get medical attention.

Eye contact

Wash immediately with plenty of water. If irritation persists, get medical attention.

Ingestion

If swallowed, do not induce vomiting. Get medical attention.

5. Fire-fighting measures

Suitable extinguishing media

Foam, CO₂, Dry Chemical and Water Fog

Hazardous combustion products

Burning may produce carbon monoxide, carbon dioxide, hydrocarbons and other possible toxic combustion products.

Special exposure hazards

In its present form, this product offers no unusual fire and explosion hazards. However, dust and fumes generated from this product could present an explosion hazard.

Special protective equipment for fire-fighters

Use self-contained breathing apparatus and chemical-protective clothing.

6. Accidental release measures

Personal precautions

Wear appropriate personal protective equipment. Eliminate all sources of ignition.

Environmental precautions

Do not allow entry to drains, water courses, soil or sewers.

Cleaning methods

Wearing appropriate personal protective equipment, sweep or vacuum and place in suitable container for disposal. Avoid creating dust.

7. Handling and storage

Handling

Avoid dust formation during handling. Provide appropriate local ventilation at machinery and at places where dust can be generated. In case of insufficient ventilation, wear suitable respiratory equipment.

Storage

Store in a cool, dry, well ventilated storage area. Keep container covered when not in use.

8. Exposure controls/personal protection

Engineering Controls

Work in well ventilated areas. Do not breathe dust, if generated. Physical processes such as grinding, high speed blending, etc may generate dust.

Personal protective equipment

Respiratory protection

Not required under normal process conditions and with adequate ventilation. However, should conditions exist that require respiratory protection, a NIOSH/MSHA approved respirator should be worn.

Eye protection

Wear safety glasses with side shields (or goggles).

Body protection

Wear protective gloves. Wear appropriate clothing to prevent repeated or prolonged contact with skin.

Hygiene measures

Wash thoroughly after handling and before eating, drinking or using tobacco products.

9. Physical and chemical properties

Appearance:	Pellet
Odor:	No significant odor
pH:	Not measured
Melting point:	Not measured
Boiling point/boiling range:	Not measured
Flash point:	Not measured
Evaporation Rate:	Not measured
Flammability (solid, gas):	Not flammable
Upper/Lower flammability limits:	Not measured
Vapor pressure:	Not measured
Vapor density:	Not measured
Relative density:	Available upon request
Solubility in water:	Not measured
Partition coefficient: n-octanol/water:	Not measured
Auto ignition temperature:	Not measured
Decomposition temperature:	Not measured

10. Stability and reactivity

Chemical stability

Stable

Conditions to avoid

Do not store near heat, flame nor strong oxidizing agents, acids or bases. Minimize dust generation and accumulation.

Hazardous decomposition products

Carbon monoxide, carbon dioxide, hydrocarbons and other possible toxic substances can be generated during thermal decomposition and combustion.

11. Toxicological information

Acute oral toxicity:	Not tested
Acute inhalation toxicity:	Not tested
Acute dermal toxicity:	Not tested
Skin irritation:	Not tested
Eye irritation:	Not tested
Skin sensitization:	Not tested
Chronic toxicity:	STOT RE 2 – see Section 2.
Carcinogenicity:	This product is not classified as a carcinogen by IARC, NTP, OSHA or ACGIH.

12. Ecological information

Ecotoxicity

No information available

Persistence and degradability

No information available

Bioaccumulative potential

No information available

13. Disposal considerations

Dispose of in accordance with all local, regional, national and international regulations

14. Transport information

U.S. Department of Transportation (DOT)

Not regulated for transport

15. Regulatory information

U.S. Toxic Substances Control Act (TSCA): All component(s) comprising this product are either exempt or listed on the TSCA inventory.

SARA Title III, Section 313:

Antimony Compounds	<10%
Chromium (III) Compounds	<10%
Nickel Compounds	<1%

California Proposition 65:  **WARNING:** This product can expose you to chemicals including nickel compounds, which are known to the State of California to cause cancer. For more information go to www.P65warnings.ca.gov.

16. Other information

HMIS ratings:	Health:	1
	Flammability:	1
	Physical Hazard:	0

Disclaimer: To the best of our knowledge, the information contained herein is accurate. It is obtained by Techmer PM from sources such as raw material suppliers and is believed to be true. Users should undertake sufficient verification and testing to determine the suitability for their own particular purpose of any information on products referred to herein. No warranty of fitness for a particular purpose is made. This safety data sheet will supersede any that was previously received as it contains the most up to date information.